

# Phoenix Trailers®

## 2017 Dealer Guide



**Special Edition Custom Bunk Trailers • Premier Custom Painted Trailers  
Pontoon Trailers • Custom Aluminum Trailers**

# PHOENIX TRAILERS RISES TO NEW HEIGHTS

## Our company is founded on:

- Premium products with the latest innovations and superior components
- An expectation and level of quality that exceeds anything our industry has seen
- Experience in design, sales, and manufacturing that surpasses the competition
- Service that is unmatched in the industry

## Check out our

- Competitive Pricing
- Standard Features
- Freight Rates per trailer
- Floor Plan Programs
- Cash Discount Programs

Look to Phoenix Trailers to continually "raise the bar" in the trailer industry.

# 2017

Phoenix  Trailers®



**Place your order today!**

Call: (231) 536-9760 • Fax: (231) 536-9750 • Email: [sales@phoenixtrail.com](mailto:sales@phoenixtrail.com)

Florida: (850) 362-6811

# SPECIAL EDITION PAINTED TRAILERS

**The Phoenix Special Edition Series allows customers to get the same high quality product and the Phoenix Trailer name, but in a more economical fashion.**

## **Custom Fit**

- 200+ Point Measurement of Specific Boat Model
- Advanced CAD System Tailors Placement and Angle of Bunks for Superior Hull Support
- Two Bunks Standard on Single Axle Models, Four Bunks or More on Tandem Models

## **Frame/Body**

- All Welded Tubular A-Frame
- Welded Tubular Bunk Uprights Better Maintain Fit to Boat
- Custom Steel Fenders
- Composite Fender Pads (Never Rot)
- Triangle Steel Diamond Plate Steps
- Magni™ 565 Coated, 3/8" Lag Screws on Bunk Boards
- Marine Grade Carpeting, Customer's Choice of Black or Gray Color
- Plated or Galvanized Safety Chains with Latch
- **LED Lighting System with Life Time Warranty**
- Welded On Swing Up Tongue Jack or Fixed Jack Stand on Higher Capacity Models

## **Suspension System**

- Single Manufacturer Hydraulic Disc Braking System with UFP™ Inline Actuator (On Braking Models)
- Maintenance Free UFP™ Vault Hybrid Axles; 5 Year Warranty on 2014 Models, Additional 5 Year Warranty Available
- **Radial Trailer Service Tires**
- Silver Directional Rims
- Open Lug Nuts

## **Finish**

- Advanced Metal Prep Process for Superior Paint Finish
- Axalta™ Excel Pro Two Part Polyurethane Automotive-Grade Coating System (Unsurpassed Durability, Luster)
- Black in Color

**Place your order today!**

Call: (231) 536-9760 • Fax: (231) 536-9750 • Email: [sales@phoenixtrailer.com](mailto:sales@phoenixtrailer.com)

Florida: (850) 362-6811

Find us on  

# SPECIAL EDITION PAINTED TRAILERS


MODEL NUMBER	AXLES/ BRAKES	APPROXIMATE CARRYING CAPACITY	TIRE SIZE	APPROXIMATE TRAILER WEIGHT
<b>13' - 17' BOATS</b>				
S15-16	1/0	1,600	ST 175/80R13	365
S16-16	1/0	1,600	ST 175/80R13	375
S16-20	1/0	2,000	ST 175/80R13	400
S17-20	1/0	2,000	ST 175/80R13	490
S17-28	1/0	2,800	ST 205/75R14	540
S17-28B	1/1	2,800	ST 205/75R14	600
S17-30B	1/1	3,000	ST 215/75R14	605
<b>18' BOATS</b>				
S18-28	1/0	2,800	ST 205/75R14	545
S18-28B	1/1	2,800	ST 205/75R14	605
S18-30B	1/1	3,000	ST 215/75R14	635
S18-33B	1/1	3,300	ST 225/75R15	750
S18-35B	1/1	3,500	ST 225/75R15	760
<b>19' BOATS</b>				
S19-28	1/0	2,800	ST 205/75R14	550
S19-28B	1/1	2,800	ST 205/75R14	640
S19-30B	1/1	3,000	ST 215/75R14	685
S19-33B	1/1	3,300	ST 225/75R15	750
S19-35B	1/1	3,500	ST 225/75R15	760
S19-42B	1/1	4,200	ST 225/75R15	840
<b>20' BOATS</b>				
S20-27	1/0	2,700	ST 205/75R14	630
S20-27B	1/1	2,700	ST 205/75R14	695
S20-30B	1/1	3,000	ST 215/75R14	700
S20-33B	1/1	3,300	ST 225/75R15	750
S20-35B	1/1	3,500	ST 225/75R15	765
S20-42B	1/1	4,200	ST 225/75R15	840
S20-50TB	2/1	5,000	ST 205/75R14	970
S20-50TTB	2/2	5,000	ST 205/75R14	1,005
<b>21' BOATS</b>				
S21-27	1/0	2,700	ST 205/75R14	660
S21-27B	1/1	2,700	ST 205/75R14	700
S21-30B	1/1	3,000	ST 215/75R14	705
S21-32B	1/1	3,200	ST 225/75R15	785
S21-34B	1/1	3,400	ST 225/75R15	795
S21-42B	1/1	4,200	ST 225/75R15	840

Please contact us for all pricing information.

**Place your order today!**

Call: (231) 536-9760 • Fax: (231) 536-9750 • Email: [sales@phoenixtrail.com](mailto:sales@phoenixtrail.com)

Florida: (850) 362-6811

Find us on  

We recommend brakes on all axles on all trailers. Please discuss with your customer the intended usage of this trailer to ensure it meets their requirements, as well as complies with the brake laws in the states of intended use.

# SPECIAL EDITION PAINTED TRAILERS

MODEL NUMBER	AXLES/ BRAKES	APPROXIMATE CARRYING CAPACITY	TIRE SIZE	APPROXIMATE TRAILER WEIGHT
<b>22' BOATS</b>				
S22-50TB	2/1	5,000	ST 205/75R14	970
S22-50TTB	2/2	5,000	ST 205/75R14	1,005
S22-58TTB	2/2	5,800	ST 215/75R14	1,155
<b>23' - 24' BOATS</b>				
S24-49TTB	2/2	4,900	ST 205/75R14	1,090
S24-57TTB	2/2	5,700	ST 215/75R14	1,245
S24-65TTB	2/2	6,500	ST 225/75R15	1,470
S24-85TTB	2/2	8,500	ST 225/75R15	1,474
<b>25' - 26' BOATS</b>				
S26-56TTB	2/2	5,600	ST 215/75R14	1,330
S26-64TTB	2/2	6,400	ST 225/75R15	1,550
S26-84TTB	2/2	8,400	ST 225/75R15	1,554
<b>27' - 28' BOATS</b>				
S28-83TTB	2/2	8,300	ST 225/75R15	1,634

Please contact us for all pricing information.

We recommend brakes on all axles on all trailers. Please discuss with your customer the intended usage of this trailer to ensure it meets their requirements, as well as complies with the brake laws in the states of intended use.



## SPECIAL EDITION OPTIONS

- Swing Tongue (up to 24' and 5,800 lb capacity)
- Aluminum Diamond Plate on Fender Top
- Custom Color (other than black)
- Pinstripe
- Pair of Boat Make Specific Graphics
- Chrome Directional Rims (per rim)
- Aluminum Mag Rims (per rim)
- Goodyear Radial Tires (per tire)
- F2™ Winch
- F2™ Jack
- Extra Bunks on Single Axle Trailer

# PREMIER PAINTED TRAILERS

## Standard Features

- Premium Fulton F2™ Jack Standard on All Models Up to 5,800 lb Capacity
- Premium Fulton F2™ Winch Standard on All Models
- Larger Styled Front Steps Standard on All Models
- Swing Tongue on All Models up to 24' and 5,800 lb Capacity
- LED Lighting System
- Aluminum Diamond Plate on Top of All Fenders



## Custom Fit

- 200+ Point Measurement of Specific Boat Model
- Advanced CAD System Tailors Placement and Angle of Bunks for Superior Hull Support
- Two Bunks Standard on Single Axle Models, Four Bunks or More on Tandem and Tri Axle Models

## Frame/Body

- All Welded Tubular A-Frame
- Welded Tubular Bunk Uprights Better Maintain Fit to Boat
- Custom Steel Fenders
- Composite Fender Pads (Never Rot)
- Aluminum Diamond Plate on Top of all Fenders
- Extended Aluminum Diamond Plate Front and Rear Step Pads
- Larger Styled Front Steps (pictured right)
- Magni™ 565 Coated, 3/8" Lag Screws on Bunk Boards
- Marine Grade Carpeting, Customer's Choice of Colors
- Plastic Pre-Coiled Safety Cables
- 100% Submersible LED Lighting System (Lifetime Warranty)
- Swing Tongue on Models up to 24' and 5,800 lb Capacity (Reduces Length Two Feet)
- Fulton F2™ Jack (Stylish, Ergonomic Design) (pictured top left) or Fixed Drop-Leg Jack
- Fulton F2™ Winch (Sleek, User-Friendly Design) (pictured top right)



## Suspension System

- Single Manufacturer Hydraulic Disc Braking System with UFP™ Inline Actuator (On Braking Models). Electric Over Hydraulic Brakes Standard on 14,600+ Lb. Capacity Models
- Maintenance Free UFP™ Vault Hybrid Axles; 5 Year Warranty on 2014 Models, Additional 5 Year Warranty on Available
- Radial Tires
- Chrome Directional Rims
- McGard™ Lug Nuts - (Guaranteed Not to Rust for Life!)

## Finish

- Advanced Metal Prep Process for Superior Paint Finish
- Axalta™ Excel Pro Two Part Polyurethane Automotive-Grade Coating System (Unsurpassed Durability, Luster)
- Unlimited Color Choices to Complement Each Boat
- Custom Boat Make Specific Graphics Package, Customer's Choice of Colors

# PREMIER PAINTED TRAILERS

MODEL NUMBER	AXLES/ BRAKES	APPROXIMATE CARRYING CAPACITY	TIRE SIZE	APPROXIMATE TRAILER WEIGHT
<b>13' - 17' BOATS</b>				
L15-16	1/0	1,600	ST 175/80R13	365
L16-16	1/0	1,600	ST 175/80R13	375
L16-20	1/0	2,000	ST 175/80R13	400
L17-20	1/0	2,000	ST 175/80R13	490
L17-28	1/0	2,800	ST 215/75R14	540
L17-28B	1/1	2,800	ST 215/75R14	600
L17-30B	1/1	3,000	ST 215/75R14	605
<b>18' BOATS</b>				
L18-28	1/0	2,800	ST 215/75R14	545
L18-28B	1/1	2,800	ST 215/75R14	605
L18-30B	1/1	3,000	ST 215/75R14	635
L18-33B	1/1	3,300	ST 225/75R15	750
L18-35B	1/1	3,500	ST 225/75R15	760
<b>19' BOATS</b>				
L19-28	1/0	2,800	ST 215/75R14	550
L19-28B	1/1	2,800	ST 215/75R14	640
L19-30B	1/1	3,000	ST 215/75R14	685
L19-33B	1/1	3,300	ST 225/75R15	750
L19-35B	1/1	3,500	ST 225/75R15	760
L19-42B	1/1	4,200	ST 225/75R15	840
<b>20' BOATS</b>				
L20-27	1/0	2,700	ST 215/75R14	630
L20-27B	1/1	2,700	ST 215/75R14	695
L20-30B	1/1	3,000	ST 215/75R14	700
L20-33B	1/1	3,300	ST 225/75R15	750
L20-35B	1/1	3,500	ST 225/75R15	765
L20-42B	1/1	4,200	ST 225/75R15	840
L20-50TB	2/1	5,000	ST 205/75R14	970
L20-50TTB	2/2	5,000	ST 205/75R14	1,005
<b>21' BOATS</b>				
L21-27	1/0	2,700	ST 215/75R14	660
L21-27B	1/1	2,700	ST 215/75R14	700
L21-30B	1/1	3,000	ST 215/75R14	705
L21-32B	1/1	3,200	ST 225/75R15	785
L21-34B	1/1	3,400	ST 225/75R15	795
L21-42B	1/1	4,200	ST 225/75R15	840
<b>22' BOATS</b>				
L22-50TB	2/1	5,000	ST 205/75R14	970
L22-50TTB	2/2	5,000	ST 205/75R14	1,005
L22-58TTB	2/2	5,800	ST 215/75R14	1,155

Please contact us for all pricing information.

We recommend brakes on all axles on all trailers. Please discuss with your customer the intended usage of this trailer to ensure it meets their requirements, as well as complies with the brake laws in the states of intended use.

# PREMIER PAINTED TRAILERS

MODEL NUMBER	AXLES/ BRAKES	APPROXIMATE CARRYING CAPACITY	TIRE SIZE	APPROXIMATE TRAILER WEIGHT
<b>23' - 24' BOATS</b>				
L24-49TTB	2/2	4,900	ST 205/75R14	1,090
L24-57TTB	2/2	5,700	ST 215/75R14	1,245
L24-65TTB	2/2	6,500	ST 225/75R15	1,470
L24-85TTB	2/2	8,500	ST 225/75R15	1,474
<b>25' - 26' BOATS</b>				
L26-56TTB	2/2	5,600	ST 215/75R14	1,330
L26-64TTB	2/2	6,400	ST 225/75R15	1,550
L26-84TTB	2/2	8,400	ST 225/75R15	1,554
L26-93TTB	2/2	9,300	ST 235/80R16	1,710
L26-133TRB	3/3	13,300	ST 225/75R15	1,909
<b>27' - 28' BOATS</b>				
L28-82TRB	3/3	8,200	ST 215/75R14	1,705
L28-83TTB	2/2	8,300	ST 225/75R15	1,634
L28-87TRB	3/3	8,700	ST 215/75R14	1,705
L28-91TTB	2/2	9,100	ST 235/80R16	1,885
L28-132TRB	3/3	13,200	ST 225/75R15	2,014
L28-157TRB	3/3	15,700	ST 235/80R16	2,300
<b>29' - 30' BOATS</b>				
L30-82TTB	2/2	8,200	ST 225/75R15	1,714
L30-80TRB	3/3	8,000	ST 215/75R14	1,800
L30-86TRB	3/3	8,600	ST 215/75R14	1,825
L30-87TTB	2/2	8,700	ST 235/80R16	1,760
L30-131TRB	3/3	13,100	ST 225/75R15	2,134
L30-153TRB	3/3	15,300	ST 235/80R16	2,637
<b>31' - 32' BOATS</b>				
L32-91TTB	2/2	9,100	ST 235/80R16	2,295
L32-127TRB	3/3	12,700	ST 225/75R15	2,450
L32-154TRB	3/3	15,400	ST 235/80R16	2,600
<b>33' - 34' BOATS</b>				
L34-124TRB	3/3	12,400	ST 225/75R15	2,840
L34-149TRB	3/3	14,900	ST 235/80R16	3,044
<b>35' - 36' BOATS</b>				
L36-123TRB	3/3	12,300	ST 225/75R15	2,890
L36-149TRB	3/3	14,900	ST 235/80R16	3,094
<b>37' - 38' BOATS</b>				
L38-123TRB	3/3	12,300	ST 225/75R15	2,940
L38-148TRB	3/3	14,800	ST 235/80R16	3,144
<b>39' - 40' BOATS</b>				
L40-122TRB	3/3	12,200	ST 225/75R15	2,990
L40-148TRB	3/3	14,800	ST 235/80R16	3,194
<b>41' - 42' BOATS</b>				
L42-120TRB	3/3	12,000	ST 225/75R15	3,163
L42-146TRB	3/3	14,600	ST 235/80R16	3,367

Please contact us for all pricing information.

We recommend brakes on all axles on all trailers. Please discuss with your customer the intended usage of this trailer to ensure it meets their requirements, as well as complies with the brake laws in the states of intended use.

**Place your order today!**

Call (231) 536-9760 • Fax (231) 536-9750 • Email: [sales@phoenixtrail.com](mailto:sales@phoenixtrail.com) • Florida: (850) 362-6811



# ALUMINUM CUSTOM BUNK TRAILERS

## Standard Features

- Premium Fulton F2™ Jack Standard on All Models Up to 5,800 lb Capacity
- Premium Fulton F2™ Winch Standard on All Models
- Torsion Axles on All Models
- Swing Tongue on All Models up to 24' and 5,800 lb Capacity
- LED Lighting System

## Custom Fit

- 200+ Point Measurement of Specific Boat Model
- Advanced CAD System Tailors Placement and Angle of Bunks for Superior Hull Support
- Two Bunks Standard on Single Axle Models, Four Bunks or More on Tandem and Tri Axle Models

## Suspension System

- Hydraulic Disc Braking System with Inline Actuator (On Braking Models). Electric Over Hydraulic Brakes Standard on 14,600+ Lb. Capacity Models
- Torsion Axles
- Maintenance Free UFP™ Vault Hybrid Axles; 5 Year Warranty on 2014 Models, Additional 5 Year Warranty Available
- **Radial Trailer Service Tires**
- Galvanized Rims
- McGard™ Lug Nuts - (Guaranteed Not to Rust for Life!)

## Frame/Body

- Heavy Duty Aluminum Frame Rails
- Galvanized Steel Crossmembers for Greater Strength
- Welded Tubular Bunk Uprights Better Maintain Fit to Boat
- Custom Aluminum Diamond Plate Fenders
- Composite Fender Pads (Never Rot)
- Triangle Diamond Plate Steps
- Magni™ 565 Coated, 3/8" Lag Screws on Bunk Boards
- Marine Grade Carpeting, Customer's Choice of Colors
- Plastic Pre-Coiled Safety Cables, Heavy Duty Safety Chains on Largest Models
- 100% Submersible LED Lighting System (Lifetime Warranty)
- Swing Tongue on Models up to 24' and 5,800 lb Capacity (Reduces Length Two Feet)
- Fulton F2™ Jack (Stylish, Ergonomic Design) or Fixed Drop-Leg Jack
- Fulton F2™ Winch (Sleek, User-Friendly Design)

## Finish

- Bunk Carpet in Customers Choice of Colors
- Custom Boat Make Specific Graphics Package, Customer's Choice of Colors

# ALUMINUM CUSTOM BUNK TRAILERS

MODEL NUMBER	AXLES/ BRAKES	APPROXIMATE CARRYING CAPACITY	TIRE SIZE
<b>17' BOATS</b>			
B17-22	1/0	2,200	ST 175/80R13
B17-28	1/0	2,800	ST 205/75R14
<b>18' BOATS</b>			
B18-22	1/0	2,200	ST 175/80R13
B18-28	1/0	2,800	ST 205/75R14
B18-28B	1/1	2,800	ST 205/75R14
B18-31B	1/1	3,100	ST 215/75R14
B18-34B	1/1	3,400	ST 225/75R15
<b>19' BOATS</b>			
B19-28	1/0	2,800	ST 205/75R14
B19-28B	1/1	2,800	ST 205/75R14
B19-31B	1/1	3,100	ST 215/75R14
B19-34B	1/1	3,400	ST 225/75R15
<b>20' BOATS</b>			
B20-28	1/0	2,800	ST 205/75R14
B20-28B	1/1	2,800	ST 205/75R14
B20-31B	1/1	3,100	ST 215/75R14
B20-34B	1/1	3,400	ST 225/75R15
B20-52TB	2/1	5,200	ST 205/75R14
B20-52TTB	2/2	5,200	ST 205/75R14
<b>21' - 22' BOATS</b>			
B22-52TB	2/1	5,200	ST 205/75R14
B22-52TTB	2/2	5,200	ST 205/75R14
<b>23' - 24' BOATS</b>			
B24-52TTB	2/2	5,200	ST 205/75R14
B24-58TTB	2/2	5,800	ST 215/75R14
B24-73TTB	2/2	7,300	ST 225/75R15
<b>25' - 26' BOATS</b>			
B26-50TTB	2/2	5,000	ST 205/75R14
B26-58TTB	2/2	5,800	ST 215/75R14
B26-73TTB	2/2	7,300	ST 225/75R15
B26-80TTB	2/2	8,000	ST 225/75R15
<b>27' - 28' BOATS</b>			
B28-73TTB	2/2	7,300	ST 225/75R15
B28-80TTB	2/2	8,000	ST 225/75R15
B28-91TTB	2/2	9,100	ST 235/80R16
B28-89TRB	3/3	8,900	ST 215/75R14
B28-106TRB	3/3	10,600	ST 225/75R15

We recommend brakes on all axles on all trailers. Please discuss with your customer the intended usage of this trailer to ensure it meets their requirements, as well as complies with the brake laws in the states of intended use.

# ALUMINUM CUSTOM BUNK TRAILERS

MODEL NUMBER	AXLES/ BRAKES	APPROXIMATE CARRYING CAPACITY	TIRE SIZE
<b>29' - 30' BOATS</b>			
B30-80TTB	2/2	8,000	ST 225/75R15
B30-90TTB	2/2	9,000	ST 235/80R16
B30-89TRB	3/3	8,900	ST 215/75R14
B30-105TRB	3/3	10,500	ST 225/75R15
B30-133TRB	3/3	13,300	ST 225/75R15
<b>31' - 32' BOATS</b>			
B32-104TRB	3/3	10,400	ST 225/75R15
B32-133TRB	3/3	13,300	ST 225/75R15
B32-155TRB	3/3	15,500	ST 235/80R16
<b>33' - 34' BOATS</b>			
B34-103TRB	3/3	10,300	ST 225/75R15
B34-132TRB	3/3	13,200	ST 225/75R15
B34-154TRB	3/3	15,400	ST 235/80R16
<b>35' - 36' BOATS</b>			
B36-102TRB	3/3	10,200	ST 225/75R15
B36-131TRB	3/3	13,100	ST 225/75R15
B36-153TRB	3/3	15,300	ST 235/80R16
<b>37' - 38' BOATS</b>			
B38-101TRB	3/3	10,100	ST 225/75R15
B38-130TRB	3/3	13,000	ST 225/75R15
B38-152TRB	3/3	15,200	ST 235/80R16
<b>39' - 40' BOATS</b>			
B40-129TRB	3/3	12,900	ST 225/75R15
B40-151TRB	3/3	15,100	ST 235/80R16

Please contact us for all pricing information.

We recommend brakes on all axles on all trailers. Please discuss with your customer the intended usage of this trailer to ensure it meets their requirements, as well as complies with the brake laws in the states of intended use.

**Place your order today!**

Call (231) 536-9760 • Fax (231) 536-9750 • Email: sales@phoenixtrail.com

Florida: (850) 362-6811

Find us on  

# PAINTED & ALUMINUM TRAILERS

## Custom Options

### UNIQUE BOAT PACKAGES

- SKI PACKAGE includes prop cage, side guides with **Phoenix logo padded covers** and extended rear steps
- CATAMARAN PACKAGE 30'+, includes special winch stand and bunk system
- CATAMARAN PACKAGE as above for 25' to 29' boats
- CATAMARAN PACKAGE as above for 18' to 24' boats
- WOOD BOAT PACKAGE
- YARD TRAILER PACKAGE
- FIFTH WHEEL TRAILER

Please contact us for all pricing information.

### WHEELS, TIRES, AND FENDERS - PAINTED TRAILERS

- ALUMINUM MAG WHEEL in place of chrome directional (per rim)
- ALUMINUM MAG WHEEL in place of chrome directional on 16' wheels (per rim)
- STANDARD CHROME OVER ALUMINUM LOW PROFILE TIRE 17" in place of 14" wheel (per rim)  
many other 17" to 20" lo profile tire and wheel assemblies available, call for availability and pricing
- SPARE TIRE MOUNT, welded or dealer/user installable bolt-on
- SPARE ST175/80R13 (Radial tire mounted on chrome directional wheel)
- SPARE ST215/75R14 "
- SPARE ST225/75R15 "
- SPARE ST235/80R16 "
- SPARE ST215/75R14 (Radial tire mounted on aluminum mag wheel)
- SPARE ST225/75R15 "
- SPARE ST235/80R16 "
- STAINLESS STEEL FENDERS Single Axle
- STAINLESS STEEL FENDERS Tandem Axle
- STAINLESS STEEL FENDERS Tri Axle
- GOODYEAR RADIAL TIRE (per tire)

### WHEELS AND TIRES - ALUMINUM TRAILERS

- ALUMINUM MAG WHEEL in place of galvanized directional (per rim)
- ALUMINUM MAG WHEEL in place of galvanized directional on 16" wheels (per rim)
- SPARE TIRE MOUNT, welded or dealer/user installable bolt-on
- SPARE ST175/80R13 (Radial tire mounted on galvanized directional wheel)
- SPARE ST215/75R14 "
- SPARE ST225/75R15 "
- SPARE ST235/80R16 "

# PAINTED & ALUMINUM TRAILERS

## Custom Options

---

### BRAKE OPTIONS

ELECTRIC OVER HYDRAULIC BRAKES

includes module to communicate with Ford and GM factory controllers

Please contact us for  
all pricing information.

### MISCELLANEOUS

ELECTRIC JACK STAND with battery

SWING AWAY TONGUE 5,800# Capacity

SWING AWAY TONGUE 6,400# Capacity

SWING AWAY TONGUE 8,400# Capacity

FRONT LOADER (Correct Craft Style) in lieu of standard winch stand

KEEL ROLLER, 12" rubber, used for shallow water launches or yard use

PROP CAGE, SINGLE, for road hazard protection, required on inboard boats

PROP CAGE, TWIN, as above for twin props

PROP CAGE ROLLERS, added protection for inboard prop cage

OUTDRIVE GUARD, swing away, permits conventional ramp launching

SLING SLOTS, allow boat to be slung on and off trailer

EXTRA BUNKS - Quad bunk support for single axle trailers

HORIZONTAL SIDE GUIDES, carpeted, up to 22'

VERTICAL SIDE GUIDES, provide protection for inboard prop, shaft, and rudder

BACK UP LIGHTS, factory installed

LAUNCH LIGHT, factory installed

ONE-OF-A-KIND DESIGN AND FABRICATION

PAIR OF RETRACTABLE RATCHET TIE DOWNS, for placement as transom or bow tie downs

LASER CUT BACK-LIT REAR STEPS

LED LIGHTS ON INSIDE OF FRAME

---

It is the selling dealer's responsibility to ensure that the trailer is equipped to meet all applicable state brake laws. It is important to determine your customers specific conditions such as: tow vehicle size, towing conditions, load factors, and other items that may necessitate the addition of brakes or other appropriate modifications that may be more conservative than your state's brake laws. Remember to discuss these issues with your customer.

### Shipping Information

Prices are subject to federal excise, state and local taxes. Prices shown are F.O.B. our plant. See Flat Rate Zone Map for Freight charges to your location. Terms are Cash, C.O.D., or previously approved Floor Plan.

Trailers will be shipped assembled except for winch stand assemblies (wheels may be removed to facilitate stacking). Ongoing product improvement programs may cause changes in specifications, standard equipment, and materials used.

### Color Matching on Painted Trailers

Gel coat color and properties are varied (up to +-10%) and typically undergo color changes due to weather. As such, WE DO NOT GUARANTEE ANY COLOR MATCH ON BOATS MANUFACTURED MORE THAN 24 MONTHS PRIOR TO TRAILER INVOICE OR EXACT MATCH FOR NEW ONES. For boats falling in these categories, please choose a color from our selector. Because of the corrosive nature of salt water, we cannot warranty the finish or structure of a painted trailer used in a salt water environment. Trailers painted white have a greater tendency to show stone chips as they occur. This is due to limited pigment content in white paint. Please consider, and urge your customers to choose darker colors.

# PONTOON TRAILERS

MODEL NUMBER	AXLES/ BRAKES	APPROXIMATE CARRYING CAPACITY	TIRE SIZE	APPROXIMATE TRAILER WEIGHT
<b>18' PONTOONS</b>				
PT18	1/0	2,440	ST185/80D13	880
<b>19'-20' PONTOONS</b>				
PT20	1/0	2,440	ST185/80D13	880
<b>21'-22' PONTOONS</b>				
PT22-3	2/0	3,800	ST175/80R13	1,200
PT22-4	2/1	4,220	ST175/80R13	1,200
PT22-4 HD	2/1	5,440	ST185/80D13	1,200
<b>23'-24' PONTOONS</b>				
PT24-3	2/0	3,700	ST175/80R13	1,300
PT24-4	2/1	4,120	ST175/80R13	1,320
PT24-4 HD	2/1	5,270	ST185/80D13	1,370
<b>25' PONTOONS</b>				
PT25-4 HD	2/1	5,258	ST185/80D13	1,382
<b>26' PONTOONS</b>				
PT26-4 HD	2/1	5,214	ST185/80D13	1,426
<b>27'-28' PONTOONS</b>				
PT28-4 HD	2/1	5,158	ST185/80D13	1,482

Please contact us for all pricing information.

We recommend brakes on all axles on all trailers. Please discuss with your customer the intended usage of this trailer to ensure it meets their requirements, as well as complies with the brake laws in the states of intended use.



- Tri Toon Setup
- Tandem Option (for PT18 and PT20)
- Disc Brakes (for PT18 and PT20)
- Disc Brakes on 2nd Axle
- Galvanizing (Single Axle)
- Galvanizing (Tandem Axle)
- Wind Guides
- Separate Hand Rail
- Deluxe Angled Ladder Bow Stop
- F2™ Winch
- F2™ Jack
- Chrome Wheel Upgrade (per wheel)
- Aluminum Wheel Upgrade (per wheel)
- Custom Color
- Custom Logo
- Call for pricing on specialty models

## New Aggressively Priced Pontoon Lineup Includes:

- One of a Kind Bow Stop with Padded Uprights (pictured above)
- All Tri Toon Packages Now Height Adjustable for Any Combination of Pontoon Sizes

### Standard Features

- Tongue Jack on All Models
- 8" Wheel Jack on All HD Models
- 13" Silver Directional Wheels with Bias Ply Trailer Service Tire or Radial Trailer Service Tires on Our Most Popular Models
- Axalta™ Excel Pro Polyurethane Finish with White Pinstripe
- Choice of Black or Gray Carpet
- OEM Grade Safety Lube Style Axle System
- Disc Brakes (on all braking models)
- One Year Warranty
- HD Models Standard with 5" Frame
- Sealed Heat Shrink Wire Connectors on All Trailers
- LED Lights (Lifetime Warranty) now standard

**Sales Office &  
Northern Manufacturing Facility**

Phoenix Trailers, LLC  
P.O. Box 498  
06165 M-32  
East Jordan, MI 49727  
Phone: (231) 536-9760 • Fax: (231) 536-9750  
Email: [sales@phoenixtrail.com](mailto:sales@phoenixtrail.com)

**Florida Office**  
(850) 362-6811

